

CLAIMS

I claim:

1. A paper tray to provide imaging media to an imaging apparatus, comprising:
a base cassette configured to be received by the imaging apparatus; and
an insert cassette configured to contain imaging media and to be received within
the base cassette.

2. The paper tray of claim 1, and wherein the insert cassette is a first insert cassette
configured to receive imaging media of a first size, the paper tray further comprising a
second insert cassette configured to receive imaging media of a second size.

3. The paper tray of claim 1, and wherein the base cassette comprises a first keying
member, and the insert cassette comprises a second keying member configured to mate
with the first keying member.

4. The paper tray of claim 1, and wherein the insert cassette comprises a handle
member to facilitate removal of the insert cassette from the base cassette.

5. The paper tray of claim 1, and wherein:
the base cassette comprises a first bottom panel, a lift plate, and a biasing
member to bias the lift plate away from the first bottom panel; and
the insert cassette comprises a second bottom panel defining an opening therein
to allow the lift plate to contact imaging media received within the insert cassette.

1 6. The paper tray of claim 5, and wherein the insert cassette further comprises a
2 restraining member to restrain imaging media received within the insert cassette from
3 being ejected by the lift plate.

4
5 7. The paper tray of claim 6, and wherein the base cassette further comprises a first
6 locking member, and the insert cassette comprises a second locking member configured
7 to engage the first locking member and thereby hold the insert cassette in relatively fixed
8 position with respect to the base cassette.

9
10 8. The paper tray of claim 1, and wherein:
11 the base cassette comprises a front panel, a back panel, and two side panels
12 adjoining the front and back panels, the front, back and side panels forming an upper
13 periphery which defines a receptacle to receive the insert cassette; and
14 the insert cassette comprises a top panel which is supported by the base
15 cassette upper periphery when the insert cassette is placed in the base cassette
16 receptacle.

17
18 9. The paper tray of claim 1, and wherein the base cassette comprises a front
19 panel, a back panel, two side panels adjoining the front and back panels, and a bottom
20 panel, the front, back, side and bottom panels defining a receptacle to receive the insert
21 cassette, and wherein the insert cassette is supported by the bottom panel when the
22 insert cassette is placed in the base cassette receptacle.

1 10. The paper tray of claim 1, and wherein:

2 the insert cassette is a first insert cassette having a first receptacle sized to
3 receive imaging media of a first size;

4 the paper tray further comprises a second insert cassette having a second
5 receptacle sized to receive imaging media of a second size;

6 the first and second insert cassettes are of the same width, and the width is
7 defined by a centerline; and

8 the first and second receptacles are centered about the respective centerlines of
9 the first and second insert cassettes.

10
11 11. The paper tray of claim 1, and wherein:

12 the insert cassette is a first insert cassette having a first receptacle sized to
13 receive imaging media of a first size;

14 the paper tray further comprises a second insert cassette having a second
15 receptacle sized to receive imaging media of a second size; and

16 the first and second insert cassettes are defined by a first edge, and the first and
17 second receptacles are each aligned to a common predetermined distance from each
18 first edge.

19
20 12. A paper tray assembly to provide imaging media to an imaging apparatus,
21 comprising a base cassette and an insert cassette, the base cassette defining an insert
22 cassette receptacle to receive at least a portion of the insert cassette, and the insert
23 cassette defining an imaging media receptacle to receive the imaging media.

1 13. The paper tray assembly of claim 12, and wherein the insert cassette is a first
2 insert cassette, the imaging media receptacle is a first media receptacle, and the first
3 media receptacle is sized to receive imaging media of a first size, the paper tray
4 assembly further comprising a second insert cassette defining a second imaging media
5 receptacle sized to receive imaging media of a second size.

6
7 14. The paper tray assembly of claim 13, and wherein the base cassette is defined
8 by a side edge, and wherein the first and second insert cassettes are sized to be
9 received within the insert cassette receptacle so as to be aligned with the base cassette
10 side edge.

11
12 15. The paper tray assembly of claim 14, and wherein second insert cassette
13 comprises a spacer to align the second insert cassette with the base cassette side edge.

14
15 16. The paper tray assembly of claim 15, and wherein the spacer is deployable from
16 a first position to a second position.

17
18 17. The paper tray assembly of claim 13, and wherein the base cassette is defined
19 by a centerline, and wherein the first and second insert cassettes are sized to be
20 received within the insert cassette receptacle so as to be aligned with the base cassette
21 centerline.

22
23 18. The paper tray assembly of claim 17, and wherein the second insert cassette
24 comprises a plurality of spacers to align the second insert cassette with the base
25 cassette centerline.

1 19. The paper tray assembly of claim 18, and wherein the spacers are deployable
2 from a first position to a second position.

3
4 20. The paper tray assembly of claim 13, and wherein the base cassette is defined
5 by a top edge, and wherein the first and second insert cassettes are sized to be received
6 within the insert cassette receptacle so as to be aligned with the base cassette top edge.

7
8 21. The paper tray assembly of claim 20, and wherein the second insert cassette
9 comprises a spacer to align the second insert cassette with the base cassette top edge.

10
11 22. The paper tray assembly of claim 21, and wherein the spacer is deployable from
12 a first position to a second position.

13
14 23. A package of imaging media for use in an imaging apparatus, the imaging
15 apparatus having a base cassette to hold imaging media, comprising:

16 a rigid imaging media container sized to be received within the base cassette;
17 and
18 imaging media placed within the imaging media container.

19
20 24. The package of imaging media of claim 23, and wherein the imaging media
21 container further comprises a spacer which orients the imaging media container with
22 respect to the base cassette when the imaging media container is received within the
23 base cassette.

1 25. The package of imaging media of claim 24, and wherein the spacer is deployable
2 from a first position wherein the spacer is juxtaposed to the imaging media container, to
3 a second position wherein the spacer orients the imaging media container with respect
4 to the base cassette.

5
6 26. The package of imaging media of claim 25, and wherein the spacer comprises a
7 spacer locking device to secure the spacer in the second position.

8
9 27. The package of imaging media of claim 25, and further comprising an over-wrap
10 covering the imaging media container, and wherein the over wrap is attached to the
11 spacer to cause the spacer to deploy to the second position when the over-wrap is
12 removed from the imaging media container.

13
14 28. The package of imaging media of claim 23, and wherein the imaging media
15 container further comprises a bottom panel having an opening formed therein.

16
17 29. The package of imaging media of claim 28, and wherein the imaging media
18 container defines a top area opposite the bottom panel, the imaging media container
19 further comprising an imaging media restraining member positioned within the top area
20 to restrict movement of imaging media out of the top area.

21
22 30. The package of imaging media of claim 23, and wherein the imaging media
23 container is fabricated from cardboard.